

	Submission ID	Poster ID	Presenter	Title
W_PW1: DUR and Safety 1 Wednesday 28th Hallway ground floor Building A	4	A01W	Noémie Roland	Association between doses of Levonorgestrel Intrauterine Systems and subsequent use of psychotropic drugs in
	22	A02W	Chia Lin Li	Comparative Effectiveness of insulin degludec (Tresiba ®) and insulin glargine 300 U/ml (Toujeo ®) in Patients with
	30	A03W	Maria Giner-Soriano	Type2 Diabetes Mellitus Taiwan: A Population-Based Cohort Study
	206	A04W	Carlotta Lunghi	Effectiveness and safety of direct oral anticoagulants in non-valvular atrial fibrillation: a cohort study in Primary
	42	A05W	Svetlana Skurtveit	Care in Catalonia, Spain.
	43	A06W	Maria Giner-Soriano	A propensity score-matched longitudinal study on the association between medical cannabis authorization and
	54	A07W	Fatema Alshaikhmubarak	psychotic disorder-related emergency department visits or hospitalizations
	68	A08W	Milica Paut Kusturica	Overdose risk-increasing medication is more often dispensed to individuals dying of overdoses related to
	94	A09W	Marie-Laure Laroche	pharmaceutical available opioids compared to individuals dying of overdoses related to other substances: a
W_PW2: DUR and Safety 2 Wednesday 28th Hallway ground floor Building A	137	A10W	Aaron Daunt	population-based register study.
	173	A11W	Stefano Scotti	Longitudinal treatment patterns in patients recently diagnosed with type 2 diabetes miellitus in Catalonia
	113	A12W	Li-Chia Chen	Exploring Current Approaches towards Patient Prioritisation for Clinical Pharmacy Services in Inpatient Mental
	226	A13W	Elham rahme	Health Care in the UK: a multi-method research study.
	235	A14W	Michele Di Prinzio	Community pharmacists’ challenges regarding adverse drug reaction reporting: an example from Serbia
	272	A15W	Nisrine Haddad	Safety monitoring of Covid-19 vaccines by the French pharmacovigilance centres network
	16	A16W	Huda Alshammari	Hospital initiation of opioids and long-term prescribing among older adults in primary care - a cohort study
	92	A17W	Isabel Hurtado	Prescription Appropriateness of Proton Pump Inhibitors: the LAPTOP-PPI Study
	209	A18W	Wejdan Shroukh	Identifying potential opioid-related safety prescribing indicators: a systematic review
W_PW3: Quality of medicine use Wednesday 28th Hallway ground floor Building A	245	A19W	Giovambattista De Sarro	Risk of urinary tract infection with diabetes and antidiabetic medications: An analysis of the Canadian Longitudinal
	85	A20W	Caitriona Cahir	Study on Aging
	90	A21W	Petra Denig	Safety and efficacy of add-on cannabidiol in patients with Lennox-Gastaut Syndrome: results of a retrospective
	93	A22W	Maarten Lambert	Atypical Antipsychotic Drugs and the Risk of Diabetic Ketoacidosis: Analysis of Data from the US FDA Adverse Event
	96	A23W	Petra Denig	Reporting System
	A24W	Amanj Kurdi		Barriers in Analysing Medication-related Incidents Data by MSOs
	199	A25W	Debra Rowett	Initiating prescription opioids for the treatment of fibromyalgia: a population-based, real-world cohort study.
	224	A26W	Zsófia Engi	An exploration of the risk management of thalidomide in Jordan: a mixed methods study
	268	A27W	Francesco Nonino	Safety Profile of Biologics Used in Rheumatology: A multicenter, prospective Observational Pharmacovigilance
W_PW4: Specific Therapeutic Areas 1 Wednesday 28th Room Q, Building B	111	A28W	Agnese Cangini	Study in the Calabria Region
	124	A29W	Agnese Cangini	Potentially inappropriate prescribing and its association with adverse drug reaction-related hospital admissions
	193	BQ01W	Carlotta Lunghi	Sex disparities in treatment patterns after metformin initiation among patients with type 2 diabetes mellitus
	210	BQ02W	Indri Cahyaningsih	General Practitioner Adherence to Antibiotic Prescribing Guidelines for Ear and Respiratory Conditions in Dutch
	212	BQ03W	Aliko Peletidi	General Practice Before and During COVID-19
	215	BQ04W	Carlotta Lunghi	Sex disparities in medication prescribing amongst patients with type 2 diabetes mellitus managed in primary care
	219	BQ05W	Gry Vibeke Bakken	Assessing duration of antibiotic therapy across hospitals in Scotland including the impact of COVID-19 pandemic: a
	222	BQ06W	Noor Alsaffar	segmented interrupted time series analysis
				Biologics and biosimilars – what prescribing data doesn’t tell us – insights from the ViP bDMARDs program

	227 BQ07W	Zsófia Engi	Opioid Utilisation: A Retrospective Study in Hungary
	249 BQ08W	Igor Rubinić	Correlation between carbapenem consumption and carbapenem-resistant Acinetobacter baumannii in a tertiary Croatian hospital
	257 BQ09W	Claudia Osorio de Castro	The incorporation of direct-acting antivirals for hepatitis C by the Brazilian Health System, 2012 - 2021.
	192 BQ10W	Filomena Fortinguerra	Prescription of psychotropic medications in the Italian paediatric population
W_PW5: Specific Populations Wednesday 28th Room Q, Building B	46 BQ11W	Claudia Osorio de Castro	PROFILE OF INDIGENOUS PATIENTS UNDER CHEMOTHERAPY IN THE BRAZILIAN HEALTH SYSTEM Geographic and socioeconomic differences in potentially inappropriate medication among elderly – A register based prospective cohort study applying analysis of individual heterogeneity and discriminatory accuracy (AIHDA) for basic comparisons of healthcare performance
	49 BQ12W	Johan Öberg	Adverse Reactions to Antimicrobials in Pediatrics
	73 BQ13W	Isabela Heineck	Prescription of antimicrobials for respiratory diseases in pediatrics: analysis of available sources of information
	74 BQ14W	Isabela Heineck	Use of central nervous system drugs in people with autism spectrum disorder: preliminary results of a study in Italy
	80 BQ15W	Maria Cutillo	Drug utilisation in patients starting haemodialysis, with a focus on cardiovascular, and antidiabetic drugs: an epidemiological study in the Lazio region (Italy)
	82 BQ16W	Ursula Kirchmayer	Gender differences in pattern of medication use in the population of Tuscany, Italy, in 2021
	117 BQ17W	Anna Girardi	Patterns of use of antidepressants in children and adolescents in Catalonia from 2008 to 2017. A Cohort study from a Primary Care Database.
	178 BQ18W	Ana Garcia Sangenis	Patient perception of continuity, quality, and adequacy of care and their association with opioid use and potentially inappropriate opioid use in older adults with and without psychiatric comorbidity
	179 BQ19W	Helen-Maria Vasiliadis	Exposure to psychiatric medications before and after the diagnosis of cluster B personality disorder: age- and sex-stratified trends from 2002 to 2018
	189 BQ20W	Carlotta Lunghi	Risk of police involvement as accused or victim/witness of a crime in antipsychotic users recently diagnosed with a psychotic disorder.
	198 BQ21W	Silvia Alessi-Severini	Influence of diversity on dealing with polypharmacy
	207 BQ22W	Hilde Feyen	Evidence-based data for the use of newly approved medications in older adults: a descriptive analysis from clinical trials to product monographs
	115 BQ23W	Caroline Sirois	
W_PW6: Specific Therapeutic Areas 2 Wednesday 28th Room P, Building B	15 BP01W	Kannika Klungphet	Outcomes of Tigecycline Use in A Tertiary Care Hospital: Role of Clinical Pharmacist
	24 BP02W	Chao-Yu Chen	The real-world effectiveness of Glucagon-like peptide-1 receptor agonists vs. other glucose lowering agents on stroke: a systematic review and meta-analysis of observation studies
	29 BP03W	Maria Chiara Silvani	AN APPROACH TO EVALUATE APPROPRIATENESS IN THE ANTIBACTERIAL THERAPY USING THE WHO AWARE CLASSIFICATION
	35 BP04W	Claudia Osorio de Castro	Utilization of anti-infectives in pediatric wards of five Brazilian hospitals
	37 BP05W	Claudia Osorio de Castro	Community consumption of antibiotics for systemic use in Brazil: a 7-year population-based study
	44 BP06W	Claudia Osorio de Castro	First use of antineoplastic agents among HER-2-positive women in the state of Rio de Janeiro, Brazil
	63 BP07W	Dezső Csupor	Synephrine: useful tool to promote weight loss or a possible source of cardiovascular risk?
	79 BP08W	Xuechun Li	Comparative effectiveness of anti-hypertensive monotherapies in primary prevention of cardiovascular events - a longitudinal inception cohort study
	100 BP09W	Janne Sepp	The consumption of human and veterinary antibiotics in Estonia, 2013-2022
	108 BP10W	Marco Finocchietti	Drug use patterns in Myasthenia Gravis patients: a real-world observational study in Italy - The CAESAR study
	118 BP11W	Aleksi Hamina	Point prevalence of antipsychotic and antidepressant use in relation to first diagnosis of psychotic depression
	176 BP12W	Amal Asiri	The prevalence of hypoglycemia risk among patients with diabetes in the Netherlands
W_PW7: Specific Therapeutic Areas 3 Wednesday 28th Room P, Building B	128 BP13W	Adriana Ivama-Brummell	FDA approved cancer drugs in Brazil: strength of evidence and time to approval Physician reimbursement data from hematology-oncology practices demonstrate continuity of medication care for cancer patients in the outpatient setting during the SARS-CoV-2 pandemic
	131 BP14W	Holger Gothe	Overview of antidiabetic consumption in Hungary between 2015 and 2021
	145 BP16W	Marta Csator dai	Highlights of the outpatient's oral anticoagulants use in Hungary from 2012 to 2021
	146 BP17W	Ahmed A. Ali	Changes in analgesic prescribing among older adults hospitalised for osteoarthritis or joint replacements
	157 BP20W	Frank Moriarty	Use of antibiotics for urinary tract infections up to and after nursing home admission in Denmark
	162 BP21W	Emma Bjørk	Rapid surveillance on the use of monoclonal antibodies and antivirals in patients with COVID-19 in Scotland
	167 BP22W	Tanja Mueller	

	134 BP23W	João Fernandes	Traceability of Blood Derivatives Reported to the Portuguese National Pharmacovigilance System Can We Do It?
W_PW8: Late Breaking Posters 1 Wednesday 28th Corridor, Building B	274 BC01W	Laura Sahn	An analysis of antipsychotic prescribing costs and patterns in the Irish setting
	275 BC02W	Ju-Yeun Lee	Assessing the Use of Potentially Inappropriate Medications as a Predictor of Hospitalization in Nursing Home residents: A Comparative Study of the Korean Medication Review Tool and Beers Criteria
	276 BC03W	Young-Mi Ah	Assessing the Implementation of Clinical Decision Support Systems for Patients with a History of Adverse Drug Events in Korean Hospitals: A Nationwide Cross-Sectional Survey
	277 BC04W	Emma Aarnio	Original and renewed prescriptions in different ATC groups
	278 BC05W	Fabiane Motter	ANTIBIOTIC MEDICATIONS CONSUMPTION IN BRAZIL: PATTERNS AND TRENDS BETWEEN 2014-2019. A TIME-SERIES
	281 BC06W	Anita Hogg	iSIMPATHY Shared Learning model
	283 BC07W	Anna Birna Almarsdóttir	Public's perspective on COVID-19 adenovirus vector vaccines after Thrombosis with thrombocytopenia syndrome (TTS) reports and associated regulatory actions: A Cross-Sectional Study in six EU member states
W_PW9: Late Breaking Posters 2 Wednesday 28th Corridor, Building B	286 BC08W	Luciane Cruz Lopes	Renal effects of selective cyclooxygenase-2 inhibitor anti-inflammatory drugs: a systematic review and meta-
	287 BC09W	Friederike Windisch	Medical Devices Glossary
	288 BC10W	Fátima Roque	What are the barriers and facilitators that influence the adoption of digital health-related tools for medication appropriateness?
	289 BC11W	Kyung Hee Choi	Analysis of Real-World Data from the Korea Adverse Event Reporting System Database
	290 BC12W	Sonja Eberl	Determining the frequency of high-alert medication in general paediatric wards to guide improvement strategies for medication safety
	291 BC13W	Paraskevi Papaioannidou	A pilot study of adherence to antihypertensive treatment in Greece
	292 BC14W	Robert Vander Stichele	Linking medicinal products from all over Europe to pharmaco-therapeutic classifications with IDMP to enable the smooth connection of Decision Support Systems for medication management in multinational and multilingual
	293 BC15W	Robert Vander Stichele	Developing a methodology for crossnational comparison of pharmacotherapeutic arsenals in the countries of Europe by using ISO/CEN standards for Identification of Medicinal Products (IDMP).
	284 BC16W	Sara Mucherino	A time series analysis of immune checkpoint inhibitors use in Italian population: 2017-2022
T_PW1: DUR and Health Policy 1 Thursday 29th Hallway ground floor Building A	285 BC17W	Valentina Orlando	Drug utilization profiles of Immune checkpoint inhibitors for the treatment of solid tumours
	177 A01T	Luciane Cruz Lopes	Biosimilars pricing in Argentina, Brazil and Italy
	14 A02T	Mina Tadrous	Extent of the Ranitidine Shortage and its Impact on Acid Suppression Drug Utilization in Canada and the United States: an Interrupted Time Series Analysis
	28 A03T	Saleh Aljadeeah	Cross-sectional survey to describe medicine use among Syrian asylum seekers and refugees in Germany
	45 A04T	Claudia Osorio de Castro	Disinvestment profile of drugs in the Brazilian Unified Health System between 2012-2022
	51 A05T	Claudia Osorio de Castro	The incorporation of rifapentine for the preventive treatment of tuberculosis in the Brazilian Health System
	58 A07T	Mònica Sabaté	Use of Non-specific human Immunoglobulins in ambulatory patients: a descriptive analysis from a hospital's
	76 A08T	Chloe Smit	Real world evidence on antibiotics used for urinary tract infections in Australian nursing homes from 2016 – 2019
	88 A09T	Carlo Piccinni	Annual coverage of treatment for intraocular pressure in patients with glaucoma through Italian administrative healthcare data
T_PW2: DUR and Health Policy 2 Thursday 29th Hallway ground floor Building A	97 A10T	Maarten Lambert	Do's and Don'ts for the European Community Pharmacist When Dispensing Antibiotics: A Delphi Study
	101 A11T	Silvia Calabria	Clotting factors and concomitant drugs utilization in patients with haemophilia A and B through a large Italian administrative database
	102 A12T	Nataliia Khanyk	Trends of prescribing and dispensing metformin under the impact of war and COVID-19 in Ukraine
	104 A13T	Maria Cutillo	Prevalence and incidence of use of oral anticoagulant drugs in the Umbria region in the period before and after the application of the Aifa Note 97
	116 A14T	Tinne Dilles	Nurses' role in interprofessional pharmaceutical care
	120 A15T	Therese Wennersten	Higher socioeconomic level is associated with prescription of CGRP (calcitonin gene-related peptide) inhibitors to migraine patients
	125 A16T	Raja'a Alqudah	Understanding peoples' views and use of antibiotics in Jordan
	135 A17T	Claudia Osorio de Castro	INSULIN ANALOGS IN TYPE 1 DIABETES TREATMENT: AN INCORPORATION PROCESS STUDY IN BRAZILIAN UNIFIED HEALTH SYSTEM (SUS)
	166 A18T	Immaculada Danés	Effectiveness and safety of alirocumab and evolocumab for hypercholesterolemia in a population with high cardiovascular risk.

	180 A19T	Amanj Kurdi	Utilisation and prescribing pattern of disease-modifying antirheumatic drugs (DMARDs) in Scotland supplied through Homecare services: a population-based study
T_PW3: DUR and Health Policy 3 Thursday 29th Hallway ground floor Building A	211 A20T	Iris Joosse	Alignment in the registration, selection, procurement and reimbursement of essential medicines for pediatric oncology in South Africa
	213 A21T	Iris Joosse	A health system analysis of access to oncology medicines for children in South Africa
			How frequently have anti-spike protein monoclonal antibodies and other antiviral therapies been used for early treatment of COVID-19 outpatients in real-world setting? A nationwide study from the United Kingdom and Italy from December 2021 to October 2022
	216 A22T	Nicoletta Luxi	Reimbursement policy change impact on utilization of reimbursed antihypertensive medicines
	234 A23T	Indrė Trečiokienė	Out-of-pocket expenditure on prescription medicines in community-dwelling adults: findings from The Irish Longitudinal Study on Ageing (TILDA)
	250 A24T	Frank Moriarty	Adhd-drugs to teenagers in Sweden 2007–2022 – Incidence and prevalence as public national drug consumption
	258 A25T	Mikael Hoffmann	Potential cost-savings from a more efficient off-patent biologicals purchasing in Italy
	141 A26T	Agnese Cangini	Use of analgesic opioids in Portugal
	127 A06T	Ana Araújo	National assessment of prescribing practice of antibiotic prophylaxis among obstetrics and gynaecological surgeries in Kuwait
	188 A27T	Fahad Alshatti	
T_PW4: Polypharmacy and Deprescribing Thursday 29th Hallway ground floor Building A	62 A29T	Caroline Sirois	How does deprescribing (not) reduce mortality? An analysis of randomized controlled trials in community-dwelling older adults casts uncertainty over claimed benefits of deprescribing
	89 A30T	John E. Hughes	Drug-drug interactions and adverse drug reaction hospital admissions in the older population: a prospective cohort
			DRUG THERAPY PROBLEMS ASSESSMENT AMONG GENERAL AMBULATORY PATIENTS WITH HYPERTENSION AT THE HEALTH CENTRE ZAGREB - CENTRE
	129 A31T	Iva Mucalo	A comparison of the tools used to evaluate the pharmacotherapy of elderly patients, who have fallen and received emergency patient care
	148 A32T	Ér. András	Evaluating a training for healthcare providers on deprescribing in older people: Lessons learned from the pilot
	152 A33T	Peter Stuijt	What is the added benefit of a communication training on deprescribing cardiometabolic medication in Dutch primary care? Protocol of a cluster-randomized controlled trial.
	155 A34T	Peter Stuijt	Health professionals views on discontinuation of long-term antidepressants: a systematic review and thematic
	175 A35T	Thierry Christiaens	A systematic review of the association between polypharmacy and outcomes in heart failure
	246 A36T	Simon Hand	Ten-year trajectories of multimorbidity and impact on health services and polypharmacy in older people
	262 A37T	Marc Simard	Tools and guidelines to assess appropriateness of medication and aid deprescribing in different target populations: Umbrella review
	161 A38T	Degefaye Anlay	
T_PW5: Adherence Thursday 29th Room Q, Building B	20 BQ01T	Martin Wawruch	Non-adherence to statin treatment in persistent and non-persistent patients with peripheral arterial disease measured using the index Proportion of Days Covered
	26 BQ02T	Gaye Hafez	Management of medication adherence in Europe: a pan-European survey among healthcare professionals
			Integrating Patients’ and Health Care Providers’ Perspectives to Address Medication Non-adherence : A Qualitative Study among Patients With Chronic Diseases in Indonesia
	40 BQ03T	Qisty Aulia Khoiry	Patient reported associations between people-centered care and adherence
	64 BQ04T	Tinne Dilles	Persistence with first-line antihypertensive therapy in Germany
	70 BQ05T	Birgit Ehlken	Perceptions and experience among Icelandic cardiac care professionals of factors influencing medication adherence in heart failure patients
	147 BQ06T	Ingibjorg Gunnthorsdottir	Medication adherence and persistence of persons with multiple sclerosis in Slovenia
	159 BQ07T	Janja Jazbar	ADHERENCE TO ADJUVANT ENDOCRINE THERAPY OF PATIENTS WITH EARLY BREAST CANCER IN CROATIA
	160 BQ08T	Ana Dugonjić Okroša	Association between beliefs about medications, attitudes towards vaccines and COVID-19 vaccination status
	171 BQ09T	Anna Birna Almarsdóttir	Quality of Life, Glycemic Control and Medication Adherence of Diabetes Patients in Primary Health Center in Central City of Jakarta
	183 BQ10T	Nora Wulandari	
T_PW6: Adherence + Cross-National Comparisons Thursday 29th Room Q, Building B Room P, Building B	204 BQ11T	Maria Cutillo	Mixed Effect Models for the analysis of medication adherence to antidiabetic drugs: the Italian case
	273 BQ12T	Gisbert W. Selke	Persistence with adalimumab treatment in Crohn's disease
	202 BQ13T	Sara Mucherino	Longitudinal Trajectory Modeling to Assess Adherence to Sacubitril/Valsartan among Patients with Heart Failure
	260 BQ14T	Marianna Serino	Medication adherence to Psoriasis Treatments: a Real World Data study

	158 BQ15T	Lina María Leguízamo Marti	Adherence trajectories to direct oral anticoagulants in atrial fibrillation patients. A multi-regional study.
	55 BP01T	Tinne Dilles	EQUANU: Equality in social and professional recognition of nurses – a European comparison
	130 BP02T	Adam Hallberg	Timeline analysis of epidemiological measures and policy implementation in the Nordic countries during the Covid-19 pandemic
	190 BP03T	Aténè Marija Theofylaktou	Drug Utilization Research Databases Appraisal of Maturity (DURDAM): An International Modified Delphi Consensus
	208 BP04T	John E. Hughes	The European Drug-Drug Interaction (EuroDDI) study protocol: a cross country comparison of the prevalence of drug-drug interactions in the older community-dwelling population
T_PW7: Patient Perspective Thursday 29th Room Q, Building B	271 BP05T	Francesco Nonino	Comparing the Price of Medicines at a Global Level. The Experience of an Italian WHO Collaborating Centre
	11 BQ16T	Ramune Jacobsen	Attitudes towards vitamin D supplementation in Turkish women of childbearing age living in Denmark – a
	12 BQ17T	Ramune Jacobsen	Knowledge, attitudes and practices of antibiotic dispensing and use among pharmacy personnel and patients in
	13 BQ18T	Ramune Jacobsen	Bagdad, Iraq – a qualitative study
	91 BQ19T	Ellen Schafheutle	COVID-19 vaccination perceptions among Arabic-speaking minorities in Denmark – a qualitative study
	98 BQ20T	Petra Denig	How pharmacy professionals learn and implement shared decision-making
	110 BQ21T	Emma Dunlop	Willingness of people with type 2 diabetes mellitus to engage in healthy eating, physical activity and medication management
	181 BQ22T	Nora Wulandari	Developing Core Principles for routine PROMs collection in cancer care in Scotland
	228 BQ23T	Alexandra Drebka	Translations and Cultural Adaptation of Indonesian Version of Treatment Satisfaction with Medicines Questionnaire (SATMED-Q) for Hypertension Patients
	233 BQ24T	Michele Fusaroli	Clinical benefits of herbal medicines in gynecological complaints
T_PW8: DUR and Pandemics Thursday 29th Room P, Building B	41 BP07T	Reinhard Schuster	Tolvaptan’s impact on the quality of life: a monocentric observational study in the Nephrology, Dialysis and Renal Transplantation Unit of Bologna
	71 BP08T	Amanj Kurdi	Comparison of the prescriptions for psychotropic drugs before and during the Corona pandemic in a German
	72 BP09T	Amanj Kurdi	Analysing the impact of COVID-19 lockdown on the utilization and prescribing patterns of anti-depressants in the Northern Ireland primary care setting.
	99 BP10T	Marie-Laure Laroche	The Impact of COVID-19 Lockdown on the Utilisation and Prescribing Patterns of Antidepressants in the Welsh Primary Care Setting: A Segmented Regression Analysis
	144 BP11T	Peter Doro	Vaccine recipients versus health professionals implicated in the safety of Covid-19 vaccines surveillance in France
	150 BP12T	Sean MacBride-Stewart	Medication use during COVID pandemic in Hungary
	156 BP13T	Amanj Kurdi	Prescribing of COVID-19 treatments to patients with COVID-19 infection at highest risk of hospitalisation by Pharmacist Independent Prescribers (PIPs)
	221 BP14T	Roxána Ruzsa	The impact of COVID-19 lockdown on utilisation and prescribing patterns of antidepressants in the Scottish primary care setting: A segmented regression analysis
	263 BP15T	monica souza	Antibiotic utilisation trends in the inpatient sector before and during the pandemic
	10 BP16T	Madalena Fonseca	Analysis of the accordance of Brazilian government protocols with scientific evidence in relation to chloroquine and hydroxychloroquine drugs: a scope review
T_PW9: Interventions and Implementations Thursday 29th Room P, Building B	25 BP17T	Aimee Ferguson	THE USE OF HUMAN IMMUNOGLOBULINS - MANAGING IMBALANCE BETWEEN AVAILABILITY AND DEMAND IN
	84 BP18T	Tomas Lasys	Pharmacist and patient perspectives on the use of video consultations in primary care in Scotland
	174 BP19T	Fatma Karapinar	Unintended impact of pharmacovigilance regulatory interventions: a systematic review
	200 BP21T	Karen Luetsch	Reversing and preventing prescribing cascades in practice: a pilot study.
	103 BP22T	Dylan Bonnan	What makes it happen – a realist evaluation of the ViP bDMARDs educational visiting program
	75 BP23T	Dian Pitaloka	GPS study: A pharmaceutical intervention to improve medication use and well-being of older adults with neurocognitive disorders in Quebec, Canada
	112 BP24T	Li-Chia Chen	Antibiotic Stewardship for Community Pharmacies in Indonesia: Development and Evaluation of a Questionnaire-Based Survey and E-Learning Modules
	36 BC01T	Claudia Osorio de Castro	Interventions to reduce opioid use in patients after major surgery - A systematic review and behaviour change technique analysis
T_PW10: Methods in DUR Thursday 29th	105 BC02T	Sophie Jouaville	SNGPC – a worthwhile data source for DUR in Brazil
			Unlocking the Potential of Real-World Data: The Power of OMOP and CDM in Health Research

Corridor, Building B	122 BC03T	Giuseppe Roberto	Conceptual bases for the standardization of calculation approaches for establishing exposure duration of single drug utilization records in multi-database studies
	138 BC04T	Caroline Sirois	Effect of statin use for the primary prevention of cardiovascular disease among older adults: An observational analysis emulating a target trial
	169 BC05T	Ikhwan Yuda Kusuma	Antibiotic related knowledge of pharmacy students: questionnaire development and validation with Rasch analysis
	232 BC06T	Beatrice Bachmeier	Scientific Application of the Web-Based Health Portal VITERIO for the Acquisition and Analysis of Digital Outcome Parameters
	248 BC07T	Kani Khalaf	Examining the effect of montelukast use on dementia from observational data on 264,770 older adults in Sweden: a marginal structural model approach
	251 BC08T	Luciane Lopes	Budget impact of risperidone for children with Autistic Spectrum Disorder in Brazil: a real-world data comparative analysis study
	264 BC09T	Andrea Spini	How to identify the indication of use for biological drugs approved for Immune-Mediated Inflammatory Diseases using claims data? The VALORE project experience